Conditioned reflexes in sturgeons [with summary in English]. Zool. shur. 37 no.9:1380-1388 S '58. (MIRA 11:10) 1.Laboratoriyā fiziologii nizshikh zhivotnykh Instituta fiziologii AN SSSR, Leningrad. (Sturgeons) (Conditioned response)

LOBASHEV, M.Ye.; SAVVATEYEV, V.B. [deceased]; KASIMOV, R.Yu.;
PONOMARENKO, V.V.

Studying certain aspects of animal hypnosis. Fiziol. zhur. SSSR 46 no. 9:1083-1089 S '60. (MIRA 13:10)

1. From the Laboratory of Inferior Animals Physiology, Pavlov Institute of Physiology, Leningrad.
(HYPNOTISM)

"APPROVED FOR RELEASE: 06/13/2000

CIA-RDP86-00513R000721020017-1

Diurnal motor activity rhytims in acipenserid fishes and their hybrids. Zool. zhur. 40 no. 1:63-72 Ja '61. (MIRA 14:2)

1. Laboratory of Physiology of Lower Animals, I.P. Pavlov
Institute of Physiology U.S.S.R. Academy of Sciences, Leningrad.

(Sturgeons) (Light—Physiological effect)

(Temperature—Physiological effect)

LOBASHEV, M.Ye.; KASIMOV, R.Yu.; MARSHIN, V.G.

Inheritance of some characteristics of higher nervous activity in interspeciefic hybridization. Izv. AN SSSR. Ser. biol. 27 no.1:56-69 Ja-F 162. (MIRA 15:3)

1. Physiological Institute, Academy of Sciences of the U.S.S.R., Leningrad.

(HYBRIDIZATION) (NERVOUS SYSTEM-FISHES)

KASIMOV, R.Yu.; KASIMOV, M.A.; GUSEYNOV, M.Sh.; SIDOROV, P.A.


Biotechnics of the cultivation of sturgeons in the Kura Experimental Sturgeon Hatchery. Trudy VNIRO 56:25-37 164.

(MIRA 18:4)

1. Kurinskiy eksperimental'nyy osetrovyy rybovodnyy zavod Azerbaydzhanskoy nauchno-issledovatel'skoy rybokhozyaystvennoy laboratorii.

Development of reaction to light stimulants 'early early early ontogeny of some species of sturgeon fiches and their hybrids. Nauch. soob. Inst.fiziol. AN SSSR no.3:55-59 '65.

1. Gruppa fiziologii nizshikh zhivotnykh (zav. - N.G.lopatica) Instituta fiziologii imeni Pavlova AN SSSR.



AVERKIN, A.A.; KASIMOV, S.; NENSBERG, Ye.D.

Change in the electric properties of PbTe and PbS under pressure. Fiz.tver.tela 4 no.12:3667-3669 D '62. (MIRA 15:12)

1. Institut poluprovodnikov AN SSSR, Leningrad.

(Lead telluride—Electric properties)

(Lead sulfide—Electric properties)

(High-pressure research)

ORIGORENKO, Mikhail Grigor'yevich; KASIMOY. S.A.; KOZLOVSKIY, G.B.;

MARTYNOV, N.V.; KUSTAPIN, G.A.; HEMIROVSKIY, Ya.I.; FETGIN, L.A.;

MARTYNOV, M.N., inzhener, redaktor; MAL'KOVA, M.V., tekhmicheskiy

redaktor

[Road building machinery] Dorozhnye mashiny. Moskva, Avtotransisat

Ministerstva avtomobil'nogo transporta i shosseinykh dorog SSSR.

Ministerstva avtomobil'nogo transporta i shosseinykh dorog SSSR.

(MIRA 8:2)

Pt. 2. 1954. 283 p.

(Road machinery)

"APPROVED FOR RELEASE: 06/13/2000 CIA-RDP86-00513R000721020017-1

ABBASOV, A.A.; KASIMOV, Sh.A.; TAIROV, N.D.

The same streets against the second of the second

Investigating the effect of super-heated vapor on the oil yield. Neft. khoz. 42 no. 5:44-49 My '64. (MIRA 17:5)

三个经验是这个人

KASIMOV, S.Sh.

Clinical characteristics of neuralgias and neuritis of the sciatic nerve. Azerb. med. zhur. no. 1:46-51 Ja '61.

(MIRA 14:2)


(SCIATIC NERVE-DISEASES)

KASIMOV, S.Sh.

Results of experiments with the application of leeches in treating sciatica. Izv.AN Azerb.SSR.Ser.biol.i med.nauk 3:91-94 (MIRA 14:7)

(Sciatica) (Leeches)

APPROVED FOR RELEASE: 06/13/2000 CIA-RDP86-00513R000721020017-1"



ABBASOV, A.A.; KASIMOV, Sh.A.

Effect of the lithological composition of oil-reservoir rocks on the oil recovery when flooding oil with a hot agent. Pokl. AN Azerb. SSR 21 no.1:28-30 165.

(MIRA 18:5)

1. Institut rezrabotki neftyanykh i gazovykh mestorozhdeniy AN AzerSSR.

"APPROVED FOR RELEASE: 06/13/2000

CIA-RDP86-00513R000721020017-1

AKHUNDOVA—BAGIREKOVA, S.Kh.; KASIMOV, V.G.

Results of treating trachoma with emmlsions of synthomycin and ethasole with ronidase. Azerb. med. zhur. no.12:10-17 D '60. (MIRA 13:12)

(CONJUNCTIVITIS, GRANULAR) (CHLOROMYCETIN)

(THIODIAZOLE) (HYALURONIDASE)

VASIL'YEV, N.S.; KASIMOV, V.I.; KALININ, G.A.; KUVAKIN, V.P.; MEDVEDEV, A.P.; FAYVILEVICH, Ya.A.; KHRIPUNOV, V.P.; YERMAKOV, D.A., redaktor; HEMOV, A.P., redaktor; OSTROVSKIY, Ya.M., redaktor; REL'SKAYA, D.D., redaktor; FRIDKIN, A.M., tekhnicheskiy redaktor

[Experience in operating the Kashira Hydroelectric Power Station]
Opyt ekspluatatsii Kashirakoi GRES. Moskva, Gos. energ. izd-vo,
1956. 179 p.
(Kashira Hydroelectric Power Station)

APPROVED FOR RELEASE: 06/13/2000 CIA-RDP86-00513R000721020017-1"

SOKOLOVSKIY, V.I., kand.tekhn.nauk, dotsent; LEVAYNEM, A.G., QDINTSOV, B.P.;
GORONKOV, Ye.S., inzh.; POSTNIKOV, V.A.; Prinimali uchastiye:
STASEVICH, P.K.; KASIMOV, V.V.; RAYT, Ya. F.

Two-groove cold rolling of pipes. Vest. mash. 41 no.6:50-52
Je '61. (Rolling (Metalwork))

OSTROVSKIY, V.S. [Ostrovs'kyi, V.S.]; ZHURAVSKIY, V.A. [Zhuravs'kyi, V.A.];
KAPLAN, K.L.; KASIMOV, Ya.M. [Kasymov, IA.M.]

Use of a shellac-casein finish for DOL chrome pigskins. Leb.
prom. no.2:58 Ap-Je 164 (MIRA 17:7)

"APPROVED FOR RELEASE: 06/13/2000 CIA-RDP86-00513R000721020017-1

KASIMOV, Ye.; Fil'KIN, I.; KUCHMASOV, P.; RUSINYAK, A.; POLETAYEV, R.;
BRUZH, R.; BABKOV, D., inzh.

Exchange of experience. Avt. transp. 43 no.2:50-54 F '65.
(MIRA 18:6)

YEFREMOV, G.; KASIMOV, Ye. Training specialists. Avt. transp. 43 no.1:46-48 Ja '65. (MIRA 18:3)

ALIYEV, V.S.; KASIMOVA, A.P.; KYAZIMOV, Sh.K.; KAPIAHOVA, V.O.

Study and development of the process of dehydrogenation of propane into propylene. Azerb.khim.zhur. no:2:49-60 (MIRA 13:6)

(Propane) (Propene)

"APPROVED FOR RELEASE: 06/13/2000

CIA-RDP86-00513R000721020017-1

ALIYEV, V.S.; AZIZOV, A.F.; KASIMOVA, A.P.; KYAZIMOV, Sh.K.

Contact catalytic conversion of ethyl alcohol into bivinyl in a fluidized bed of powdered catalysts. Azerb.khim.zhur. no.3:15-27 (MIRA) 16-9)

(Ethyl alcohol) (Butadiene) (Catalysis)

ALIYEV, V.S.; AZIZOV, A.F.; KASIMOVA, A.P.; KYAZIMOV, Sh.K.

Contact catalytic conversion of thyl alcohol into bivinyl in a fluidized bed of powdered catalyst in a continuous plant.

Azerb. khim.zhur. no.4:33-44 159.

(Butadiene) (Catalysis)

(Catalysis)

ALIYEV, V.S.; KASIMOVA, A.P.; KYAZIMOV, Sh.K.

Studying and developing techniques for the dehydrogenation of n-butane into butylenes in a fluidized bed of finely divided chromia-alumina catalyst (to be concluded). Azerb. neft. khoz. 38 no.7:36-38 Jl '59.

(MIRA 13:2)

(Butane) (Butelene) (Propene)

ALIYEV, V.S.; KASIMOVA. A.P.; KYAZIMOV, Sh.K.

Studying and developing techniques for the dehydrogenation of n-butane into butylenes in a fluidized bed of finely divided chromia-alumina catalyst (conclusion). Azerb. neft. khoz. 38 no.8:37-40 Ag '59.

(Butane) (Butene) (Propene)

ALIYEV, V.S.; KASIMOVA, A.P.; TER-SARKISOV, B.G.

Method of determining the activity of K-5 finely divided catalysts. Azerb. neft. khoz. 40 no.9:33-35 S '61. (MIRA 15:1) (Gatalysts)

"APPROVED FOR RELEASE: 06/13/2000

CIA-RDP86-00513R000721020017-1

ALIYEV, V.S.; ALIYEV, Z.E.; KASIMOVA, A.P.; KYAZIMOV, Sh.K.; MURAVCHIK, M.Ye.


Effect of the temperature and the time catalyst-gas vapors remain in the settling zone of the reactor on the yield of the desired product in dehydrogenation of n-butane. Azerb. neft. khoz. 40 no.10:33-34 0 '61. (MIRA 15:3)

(Butane) (Dehydrogenation)

ALIYEV, V.S.; YEFIMOVA, S.A.; KASIMOVA, A.P.; TER-SARKISOV, B.G.

Evaluation of the activity of catalysts used in industrial processes with a circulating powdered catalyst. Kin.i kat. 3 no.4: (MIRA 15:8) 545-549 Jl-Ag '62.

1. Institut neftekhimicheskikh protsessov AN Azerbaydzhanskoy SSR. (Catalysts)



ALIYEV, V.S.; ALIYEV, Z.E.; KASIMOVA, A.P.; KAPIANOVA, V.D.; MURAVCHIK, M.Ye.; TER-SARKISOV, B.G.

Preliminary preparation of the dehydrating K-5 catalyst before its introduction into the reactor. Azerb.neft.khoz. 41 no.8: (MIRA 16:1) 35-39 Ag 162. (Catalysts)

KASIMOVA, A.P.

KAZANSKII, B.A., DOROGOCHINSKII, A.Z., ALIYEV, V.S., KASIMOVA, A.P.

Catalytic dehydrogenation of hydrocarbons.

Report presented at the 12th Conference on high molecular weight compounds, devoted to monomers, Bake, 3-7 April 62

Card 1/1

APPROVED FOR RELEASE: 06/13/2000

CIA-RDP86-00513R000721020017-

"APPROVED FOR RELEASE: 06/13/2000

CIA-RDP86-00513R000721020017-1

		ovA).B.			. 18	F	28	8 2 8	:		
		Initional Sponsoring Agency: Agerbaydzhan. Ministeretvo neftyahoy promyhlemiosti. promyhle		e epn	. 8		4	Sirv. Veligev. In whem to Producing Avia 99 E. Carried out With a View to Producing Forcheum Chikareva, and M.i. Airyer. Study of Perroleum Chikareva, and M.i. Airyer. Study of Producing.		Lø.	
5	verte.	Ministerstvo neftyanoy orial Board; V.S. Aliy ys, Doctor of Chemical ys, Doctor N.W. Indukov ys, Boardate of unyan, Canddate of died of Februstal Alaa Sciences, N.B. Ali Gadchess, Crimedes	128	free by the products the products for the for the for the for the for the for the forest for the forest for the forest for the forest f	a byper- bon black les.	Heat Joyas	2.1. Polymorus Asharatan of a Fondered Salare 3 udy of The Cracking of Distillates From Mon- t During the Cracking of Distillates From Mon- 011. Ralayew, Wall, Antonoge, Free Separates	anti-			
304/2925	institut nefte . Kuybysheva. 2) Baku, ted. 500	rd: rof r r of r N.W. ndida echni-	East, the collects, M.K. Wellk-Lands and for chemical Solution of articles is intended for chemical Hoggs. This collection of articles is intended with advanced engineers, before changed by petroleum conversion.	conversion of the procession o	44 4 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6	Masirow, and Garoffine Freduced by Two-seasons, Mols of Mest sition of Garoffine Freduced by Maskows, Mols of Mest Alyever 14.5. B.B. Alexan, and M.P. Kaskows, West Petroleus Tarriers in Thermal Contact Decomposition of Mest Prologs.	Stepa Stepa Olem	Produc Stu-			
8	insti Enyl	laters Doctor Cas Cas of T Scie	for Mith	e collection presents an analysis of different roudes extracted in Acebsdizhs and of the pix- from these crudes through petrolume conversite from these crudes through petrolume conversite of and the suitability of these crudes for the of direct field is discussed. Results of esting of direct fields is discussed. Results of esting of direct fields is discussed.	and the circuits Compressive angles of stretts and and angles of caralysis of stretts and	To Table	20 11 12 12 12 12 12 12 12 12 12 12 12 12	o zaga	T, v James P (Marie		
NOI	ASE I BOOM Extractions in the control of the control of the control of Morks, No. 2 (Collection of Works, No. 2) 373 p. Errata allo inserted.	Mind orts 1 Sci Sci Sci Sci Sci Sci Sci Sci Sci Sci	ende rued	analysis of sydzhan and of petroleum ing and demail these crude sed. Result ed bed synthed bed synthed bed synthed bed synthed bed synthe		EOVE.	Disti	Vie	Medical Reservation		
HOIDYELUIAKA AVVA	ntel', Imeni Works	Edit Guty Guty Man Cand	conce	n Azerbaydzhan er threupaydzhan er threupaydzhan er desalting and do illity of these ci clacused. Ness	Tube 1	Kasi	R OF	th de s		,	•
e wre	ledov osti n of rete	Azerbaydzhan. Al'tran; Edi Al'tran; Edi Or of Chemicas, V.S. Guty Egranova, Cand Addate of Che	les lhers	rerba rerba reugh ry of acus	maly Tough	A-Car	18 2	M.W.	:- t/2	•	
	o-1ss hlenn ectio	Azer Al' Al' ctor ctor ences leyra	arti arti erelo	esent an the second the the the the the the the the the the	A NOTE OF STREET	1	be Cr	ried ried iyev, ikare ni p	1. S.	,	
,	PHASE I	11.58 12.88 13.80 10.80 10.80 10.80 10.80 10.80 10.80 10.80 10.80 10.80 10.80 10.80	on of	on present in correct	King King King King King King King King	oduc.	Ing to the N	Ser Car	•		
İ	(a) FRACE I BOOM ELIBERATION FRACE ALCETDANCHICATION NECTOR ISONO W. PROFESTATION OF UNIVERSITY AND STATEMENT OF WORKEN NO OFFICE STATEMENT OF WORKEN NO CHARLEST STATEMENT OF WORKEN NO CHA	intional Sponsoring Agency: promyablemosts. promyablemosts. condidate of Chenical Sers Selectes of A.W. Killycv. yo Selectes of Technical Selected	ences lectl nicis oleum	collection present ides extracted in A on these crudes do "na the dewardstage do 1 and the suitabilid direct fucia is di	20 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	A B	Yeffmova, S.A., Z.I. Polv. A.B. Edmin-1995 Burlms b Alumina Caralyst Durlms b sulfurous Crude Oil	Applications of a second of second o			
	ztans yunto vyp	Ing H. K. K. K. Tec.	1 Sol	rudes from from The ed an	and the cisenton of stage establite the flow system as The the production of are cultinod as Sec		Crude S	A.M.:	Disti		
	rbayd atyva udov, trajada	Dalen Dalen Dalen Dale Dale Dale Dale Dale Dale Dale Dale	of Technical Sciences. TURPOSE: This engineers,	ERMAGE: The co types of crude recovered from processes. Th ls described a recovery of di	of cr of cr system production		PACTOR CA	Control Contro	15 8 T		
	Aze reroh 11k tr	Additional program of Pub Candida Salence Candida Salence Candida Salence Salence Salence Salence	FOSE:	COVERAGE: TO CYPOR OF FACOVERED DESCRIBER LE GESCTÉ FECOVOIT FECOVOIT	the the	Allyeve Earriers	STATE OF THE PARTY		Card	-	
	Bain. Perer Shornik	2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	E	8	-77		, ,	Art.		, t	
		A commence to the commence of the party		-	and the state of t	STATE SHOULD BE STREET,	- -				
		- Secret graduates ages, nor resident to paid.									

"APPROVED FOR RELEASE: 06/13/2000 CIA-RDP86-00513R000721020017-1

Therapy of chronic tonsillitis. Vest.ote-rin. 18 no.3:74-75
My-Je '56.
(TONSILS--DISEARES)

16.6800

\$/044/62/000/008/043/073

AUTHORS:

Kornishin, M.S., Kasimova, D.A.

TITLE:

On a method for solving systems of non-linear difference equations for the plate bending

PERIODICAL: Referativnyy zhurnal, Matematika, no. 8, 1962, 30, abstract 8V155. ("Tr. konferentsii po teorii plastin i obolochek, 1960". Kazan', 1961, 191-198)

The authors describe a method for solving the non-linear TEXT: difference equations for the plate bending. The method is based on the general iteration method and on the application of the extrapolation for determining the roots of the zero approximation. With this method systems of non-linear difference equations have been solved which occur when considering large bendings of quadratic plates with flexible and fixed boundaries, if the stress is uniformly distributed or acts on a small surface in the neighborhood of the center. Results of the calculations carried out on the computer "Strela" are given. It is mentioned that the solution of the system of equations required 13

Card 1/2

On a method for solving ...

S/044/62/000/008/043/073 C111/C222

minutes for 28 values of the stress understood as parameter and that, when applying the method of Seidel, one needs more than ten times as much iterations for equal exactness.

[Abstracter's note : Complete translation.]

Card 2/2

S/124/63/000/001/045/080 D234/D308

AUTHORS:

Kornishin, M.S. and Kasimova, D.A.

TITLE:

A method of solving systems of nonlinear finite

difference equations of plate bending

PERIODICAL:

Referativnyy zhurnal, Mekhanika, no. 1, 1963, 16, abstract 1V109 (Tr. Konferentsii po teorii plastin

i obolochek, 1960. Kazan' 1961, 191-198)

TEXT: The authors describe a method based on the use of a general iteration method combined with extrapolation for obtaining the roots of zero approximation. By this method systems are solved to which the problems of large deflection of hinged or rigidly clamped square plates reduce. The lattice step was chosen equal to one-tenth of the side of the square. Two cases of loading were considered: a uniformly distributed load on the whole plate and a uniformly distributed one on a small area at the center. Calculations were carried out on a 'Strela' computer. 9 references.

Abstracter's note: Complete translation 7

Card 1/1


"APPROVED FOR RELEASE: 06/13/2000

CIA-RDP86-00513R000721020017-1

- 124 (FIF)
7
4.
•
The state of the s
The state of the s

"APPROVED FOR RELEASE: 06/13/2000

CIA-RDP86-00513R000721020017-1



"APPROVED FOR RELEASE: 06/13/2000 CIA-RDP86-00513R000721020017-1


	sov/6206
Transactions of the Conference (Cont.)	/
a district of the Dynamic	186
Kornishin, M. S., and D. A. Kasimova. On a Method for Solution of Systems of Nonlinear Finite-Difference	191
Kornishin, M. S., and E. N. Safiullina. Apparation to the the Method of Successive Approximations to the the Method of Large Deflections of a Circular Investigation of Large Deflections Spherical Segment	199
Kosukhin, A. K. On the Problem of Analysis Walled Three-Dimensional Structures as Systems Walled Plates	20 ⁴
grability of Wing Panels Under	209
Unsteady Aerodynamic Heating Unsteady Aerodynamic Heating Lepik, Yu. R. Large Deflections of Circular Rigid- Plastic Plates Clamped by Their Circumference	215
Card 8/14	`
	en e e e e e e e e e e e e e e e e e e

GUSEYNOV, M.M., KASIMOVA, F.A.; KICHIYEVA, D.D.; RAGIMOV, G.A.

Hexachlorbenzene based on normal hexane. Azerb. khim. zhur. no.1:39-41
(MIRA 18:7)
165.

1. Institut neftekhimicheskikh protsessov AN AzerSSR.

"APPROVED FOR RELEASE: 06/13/2000 CIA-RDP86-00513R000721020017-1



KASIMOVA, G.A.

Some work results of the study of measures for combating root knot nematodes in Azerbaijan. Trudy probl. i tem.soveshch. no.3:97-105 54. (MIRA 8:5)

 Institut zoologii Akademii nauk Azerbaydzhanskoy SSR. (Azerbaijan—Root knot) (Root knot—Azerbaijan)

KASIMOVA, G.A.

Wheat nematode-Anguillulina tritici (Steinbuch) in Azerbaijan.
(Preliminary paper) Dokl. Azerb. SSR 10 no.1:57-62 '54. (MLRA 7:7)

1. Institut zoologii Akademii Azerbaydzhanskoy SSR. Predstavlene deystvitelinym chlenom Akademii nauk Azerbaydzhanskoy SSR A.I.Ka-rayevym.

(Azerbaijan-Nematoda) (Nematoda-Azerbaijan) (Wheat-Diseases and pests)

APPROVED FOR RELEASE: 06/13/2000 CIA-RDP86-00513R000721020017-1"

MEKHTIYEV,S.D.; KASIMOVA,G.A.

Testing a petroleum by-product for root knot nematode control.
Dokl. AN Azerb. SSR 10 no.7:495-499 '54. (MIRA 8:10)

1. Institut nefti i zoologii Akademii nauk Azerbaydzhanskoy SSR.
Predstavleno deystvitel'nym Akademii nauk Azerbaydzhanskoy SSR
A.I.Karayevym. (Nematoda) (Pesticides)

Courrence of the gall nomatode in Astara [in Azerbaijani with summary in Russian]. Dokl. AN Azerb. SSR 14 no.6:471-473 '56. (MIRA 11:7)

1.Institut zoologii AN AzerSSR. (Astara-Hematoda)


APPROVED FOR RELEASE: 06/13/2000 CIA-RDP86-00513R000721020017-1"

KASIMOVA, G.A.

State of the study of principal plant nematodes in Azerbaijan and measures for their control. Trudy Gel'm. lab. 0:128 '59.

(MIRA 13:3)

(Azerbaijan-Nematoda) (Agricultural pests)




KASIMOVA, G.A.

Discovery of the onion-garlic stem nematode in Astara [in Azerbaijani with summary in Russian]. Dokl. AN Azerb.SSR 16 no.7:693-696 '60.

(MIRA 13:9)

(Astara--Nematode diseases of plants)

APPROVED FOR RELEASE: 06/13/2000 CIA-RDP86-00513R000721020017-1"



KASIMOVA, G.A.

Nematodes of vegetables and vine crops of Azerbaijan. Izv.

AN Azerb. SSR. Ser. biol. nauk no.2:37-44, '64.

(MIRA 17:10)

"APPROVED FOR RELEASE: 06/13/2000

CIA-RDP86-00513R000721020017-1

KASIMOVA, G.A.

Nematode fauna of vegetables and vine crops (families Umbelliferae and Cucurbitaceae) in the Kuba-Khachmas zone of Azerbaijan. Izv. AN Azerb. SSR. Ser. biol. no.4:53-63 '64. (MIRA 17:12)

APPROVED FOR RELEASE: 06/13/2000 CIA-RDP86-00513R000721020017-1"

KASIMOVA, G.A.

Nematode fauna of vegetables and vine crops in the Buba-Khachmas zone of Azerbaijan. Trudy Inst. zool. AN Azerb. SSR 24:138-151 '65. (MIRA 18:5)

KASIMOVA, G.I.; KRYLOV, L.M.; NOVIKOVA, A.V.

Congenital listeriosis. Vop. okh. mat. i det. 8 no.7:83-85 Jl '63. (MIRA 17:3)

l. Iz otdeleniya nedonoshennykh detey (zav. 0.G. Lisnevskaya, konsul'tant - dotsent R.A. Fridman) detskoy bol'nitsy No.29, Moskvy (glavnyy vrach - zasluthennyy vrach RSFSR I.S. Ogryzkov) i patomorfologicheskoy laboratorii (zav. - prof. L.O. Vishnevetskaya) Nauchno-issledovatel'skogo pediatricheskogo instituta (direktor - kand. med. nauk V.P. Spirina) Ministerstva zdravookhraneniya RSFSR.

KASIMOVA, G.K.

15-57-2-1310

Translation from: Referativnyy zhurnal, Geologiya, 1957, Nr 2,

n 18 (USSR)

AUTHORS:

Kasimova, G. K., Kuznetsova, Z. V., Mikheyeva, Z. F.

TITLE:

Microfauna of the Jurassic Deposits in the Ulluchay (Central Dagestan) Section Mikrofauna yurskikh otlozheniy razreza Ulluchay (tsentral'nyy Dagestan) --

in Azerbaydzhan7

PERIODICAL:

Dokl. AN AzSSR, 1956, Vol 12, Nr 1, pp 9-14

ABSTRACT:

In the section at the Ulluchay River, the upper Aalenian is composed of a succession of argillaceous shales containing sandstones and aleurites with streaks of limestones. The macrofauna consists of pelecypods and ammonites. The foraminifera are characterized by a great variety of species; Cristellaria, Nodosaria, Marginulina, Dentalina, Spirophtalmidium and others; the ostracoda are rare and are represented by new species. The Bajocian is made up of a succession of

Card 1/2

lime-free clays with sandstones. The foraminifera

15-57-2-1310

Microfauna of the Jurassic Deposits (Cont.)

belong mainly to the lagenidae family; isolated species belong to ophthalmidiae, polymorphidae, lituolidae and epistominidae. The Bajocian group of foraminifera differs considerably from the upper Aalenian. The author compares these groups with the foraminifera in deposits of the same age occurring in other regions of the Caucasus, the Russian Platform and Western Europe. A bibliography of 17 titles is given.

Card 2/2

V. A. K.

KASINOVA, G.K.

Micrefauna of Balkhan Red Beds in southwestern Turkmenistan, Trudy Inst. geel. AN Azerb. SSR 17:132-145 '56. (MIRA 10:4) (Balkhan--Paleontelegy, Stratigraphic)

KASIMOVA, G.K.

Tairdshalchay Aslenian stage in the Samur Valley of Aserbaijan. Isv.AN Aserb. SSR. Ser.geol.-geog.nauk no.1:45-52 158.

(MIRA 11:12)

(Samur Valley -- Geology, Stratigraphic)

KASIMOVA, G.K.

15-57-2-1344

Translation from: Referativnyy zhurnal, Geologiya, 1957, Nr 2,

p 24 (USSR)

AUTHOR:

Kasimova, G. K.

TITLE:

Microfauna of the Red Stratum in the Balkhanskiy

District of Southwestern Turkmenia (O mikrofaune

krasnotsvetnoy tolshchi rayona yugo-zapadnoy Turkmenii)

PERIODICAL:

Tr. In-ta geol. AN AzerbSSR, 1956, Vol 18, pp 132-145

ABSTRACT:

The author describes Eucypris triangularis sp. n., Candona chalilovi n. sp., Bythocypris simplex n. sp., Ilyocypris gibba (Ramd.) novicula var. n., Iliocypris aff. bradyi Sars and Darwinula stevensoni Brady et Robert. The presence of compact, frangible sandstone concretions is characteristic of the strata which contain them. Ostracoda and foraminifera are found in the primary and secondary beds. The lower part of the stratum is poor in microfauna which is represented by marine and euryhaline forms. The fauna of the upper part of the stratum is of a fresh water character. In

Card 1/3

15-57-2-1344

Microfauna of the Red Stratum (Cont.)

the Cheleken section in the upper part of the stratum three zones (from the top down) are distinguished: 1) the zone with Iliocypris gibba (Ramd.) var. novicula; 2) the zone with Opprinctus salinus (Brady); 3) the zone with Darwinula aurea (Brady et Robert) and with Characea. In other sections (Nebitdag, Monzhukly, Boyadag, Syrtiandy), characterized by more coarse-grained deposits, the analogs of only the first zone were discovered. Akchagyl marine deposits overlapping the red stratum differ sharply from the latter both in lithology and in fauna. Comparison of microfaunas from the red stratum with the productive layer of the Apsheron peninsula showed the common fauna of the two basins: Cyprinotus salinus (Brady), Heterocypris incongruens (Ramd.), Eucypris membranee Liv., Darwinula aurea Brady et Bob., Loxoconcha petasus Liv., L. eichwaldi Liv., Cythere olivina Liv., C. cellula var. typica Liv., Cyrpideis Ittoralis (Brady), Cytherissa naphtatscholana (Liv.) and others. The fauna of the red stratum is richer and more varied than the fauna in the productive layer. The marked coarsening of rock grains and the increase in size and decrease in roundness of

"APPROVED FOR RELEASE: 06/13/2000 (

CIA-RDP86-00513R000721020017-1

15-57-2-1344

Microfauna of the Red Stratum (Cont.)

the foraminifera from west to east leads to the assumption that the origin of the material composing the red stratum lies in the vicinity of Little and Great Balkhan and Kopet Dag. Four tables and a bibliography of 24 titles are included.

Card 3/3


V. A. I.

KASIMOVA, G.K.

Data on Jurassic microfauna in the northeastern part of the Lesser Caucasus. Izv. AN Azerb. SSR. Ser. geol.-geog. nauk no.4:19-25
158. (MIRA 11:12)

(Caucasus--Paleentelegy)

Generic types of the Epistominidae family from the upper Aalen of the Yukhary-Tairdahal Samur region(Azerbaijan). Uch.zap.AGU. the Yukhary-Tairdahal Samur region(Azerbaijan). (MIRA 14:6) Geol.-geog.ser. no.5:27-33 '99 (MIRA 14:6) (Azerbaijan-Foraminifera, Fossil)



KASIMOVA, G.K. Some species of ribbed Lenticulina from Middle Jurassic sediments of Azerbaijan. Izv.AN Azerb.SSR.Ser.geol.-geog. nauk 1 nefti no.3:61-72 62. (MIRA 1: (Azerbaijan-Foraminifera, Fossil) (MIRA 15:12)

KASIMOVA, E.M.

15-57-1-181

Translation from: Referativnyy zhurnal, Geologiya, 1957, Nr 1,

p 25 (USSR)

AUTHORS:

Mamedov, A. V., Kasimova, G. M.

TITLE:

Fossil Plants in the Miocene Deposits Between the

Rivers of Kura and Iora (Azerbaydzhan SSR)

/Iskopayemyye rasteniya miotsenovykh otlozheniy mezhdurech'ya Kury i Iori (Azerbaydzhanskaya SSR)/

PERIODICAL:

Dokl. AN AzerbSSR, 1955, Vol 11, Nr 12, pp 851-856 (Summary in Azerbaijanian)

ABSTRACT:

Leaf imprints of Juglans acuminata, Betula Brongniartii, Cinnamonum polymorphum were found in the Sarmatian deposits near the towns of Molladag, Chobandag and Katar. The comparison of the Maykop floras in the foothills of Little Caucasus and the Sarmatian floras of the western Georgia makes it possible to assume that the flora changed from the evergreen to the deciduous,

which fact indicated that the climate became cooler;

Card 1/2

Inst. Beology in 1. M. Gubkin AS AZER SSR


15-57-1-181

Fossil Plants in the Miocene Deposits (Cont.)


however, such species as Laurus and Cinnomonum survived. The article contains a stratigraphic section extending from the Karaganskiy gorisont (horizon) to the upper Sarmatian, a section of the El'darskaya svita (series) and six photographs of the imprints.

A. K. K. Card 2/2

"APPROVED FOR RELEASE: 06/13/2000 CIA-RDP86-00513R000721020017-1



"APPROVED FOR RELEASE: 06/13/2000 CIA-RDP86-00513R000721020017-1



KASIMOVA, G.S.

Influence of a stimulant of petroleum origin on the development of Asobacter and other bacteria in pure cultures. Dokl. AN Azerb. SSR 12 no.6:421-425 '56. (MLRA 9:10)

1. Predstavleno akademikom AN Azerbaydzhanskoy SSR A.I. Karayevym. (Azobacter) (Growth promoting substances)

"APPROVED FOR RELEASE: 06/13/2000 CIA-RDP86-00513R000721020017-1



GUSEYNOV, A.A.: KASIMOVA, G.S.

Effect of oil shales, bituminous rocks, and processed gumbrin on the growth and development of cotton plants and soil microflora [in Azerbaijani with summary in Russian]. Uch.zap.AGU no.12:93-100 '57. (MIRA 12:1) (Petroleum industry-By-products) (Fertilizers and manures)

	development of microsco 3-10 '60.	WTH PROMOTING SUBSTANCES)	n on the er. no.1:
14			

"APPROVED FOR RELEASE: 06/13/2000

CIA-RDP86-00513R000721020017-1

KASIMOVA, G.S.; GUSEYNOV, A.A. Effect of organic fertilizers derived from by-products of the petroleum industry on the yield of raw cotton and soil microflora.
Uch. zap. AGU. Biol. ser. no. 4:21-31 *60. (MIRA 14:5)

(Petroleum industry—By-products)

(Cotton—Fertilizers and manures)

(Soils-Microbiology)

"APPROVED FOR RELEASE: 06/13/2000

CIA-RDP86-00513R000721020017-1

Soil microflora of the Shemakhs-Kobystan region. Uch. zap. AGU.

Biol. ser. no.4:19-26 '59.

(KORYSTAN-SOIL MICRO-ORGANISMS)


(SHEMAKHA REGION-SOIL MICRO-ORGANISMS)

KASIMOVA, G.S.

Species of Penicillium in the Sierozem and Chestnut soils of the Azerbaijan S.S.R. Uch. zap. AGU. Biol. ser. no.5:9-16 '59. (MIRA 15:5)

(AZERBAIJAN--PENICILLIUM)

(SOIL MICRO-ORGANISMS)



ir

5/0299/64/000/002/8045/8045

ACCESSION NR: AR4027226

SOURCE: RZh. Biologiya, Abs. 28313

AUTHOR: Kasimova. G. S.

TITLE: Use of fossil organic compounds of petroleum origin in the control of the vital activity of soil microflora

CITED SOURCE: Sb. Neft. udobrenlya i stimulyatory*. Baku, AN AzerbSSR, 1963, 298-308

TOPIC TAGS: microorganism, soil bacteria, petroleum activator, petroleum growth substance, soil bacteria control, fossil organic compound, oil shale, bituminous rock, humbrin, nitrogen fixation

ABSTRACT: In hothouse, field and laboratory experiments, the application of depleted humbrin (0.1 g/kg) to moderately salinized and non-salinized grey meadow soil had a favorable effect on the development of saprophytic bacteria, mold and actinomycetes. The number of azotobacter was increased. After high doses of humbrin the cells of azotobacter became smaller and nitrification was inhibited. Bituminous rock at doses of 0.25-15 metric tons/hectare stimulated the development of azotobacter and nitrogen fixation. Oil shale (0.5 and 1.0%) and an aqueous expendent

would app	parently still	mulate the	development of all	er of microorganism on of various types types of microorgan	isms. N.	
Kryitlova	: 14Feb64		SUB CODE: LS	ENCL:	00	
		i			•	
•			•	•		
				•		
			i.		C	
<u>.</u>		:	. 1	•		-
	ļ	•		•	. •	
	į		•		•	

KASIMOVA, M. otvetstvennyy za vypusk; DEREVNIN, P., tekhn.red.

[Forty years of socialist construction in Stavropol Territory; a bibliography] 40 let sotsialisticheskogo stroitel'stva na Stavropol'e; ukazatel' literatury. Stavropol', 1957. 202 p. (MIRA 11:6)

1. Stavropol. Krayevaya biblioteka. Bibliograficheskiy otdel.
(Bibliography—Stavropol Territory)
(Stavropol Territory—Bibliography)


APPROVED FOR RELEASE: 06/13/2000 CIA-RDP86-00513R000721020017-1"

2、1个小型的特別學所用的關鍵的特別的可以可以

KASIMOVA, M., otvetstvennyy za vypusk; DEREVNIN, P., tekhn.red.

[Maturo and natural resources of Stavropol Territory; a bibliography]
Priroda i prirodnye bogastva Stavropol'ia; ukazatel' literatury.
Stavropol', 1957. 39 p. (MIRA 11:6)

1. Stavropol. Krayevaya biblioteka. Pibliograficheskiy otdel.
(Bibliography—Stavropol territory—Natural resources)
(Stavropol Territory—Natural resources—Bibliography)



KASIMOVA, Nasiba

KASIMOVA, Nasiba

Stratigraphy of the Middle Jurassic in northeastern Azerbaijan.

Stratigraphy of the Middle Jurassic in northeastern Azerbaijan.

Dokl. AN Azerb. SSR 11 no.1:33-37 '55. (MLRA 8:10)

1. Institut geologii im. akad. I.M.Gubkina Akademii nauk Azerbaydzhanskoy SSR. Predatzvleno depstvitel'nym chlenom AN

Azerbaydzhanskoy SSR M.M.Aliyevym.

(Azerbaijan--Geology, Stratigraphic)

APPROVED FOR RELEASE: 06/13/2000 CIA-RDP86-00513R000721020017-1"

KASIMOVA, N.M. USSR/ Geology Pub. 22 - 33/49 Card 1/1 Khain, V. E.; Shardanov, A. N.; and Kasimova, N. M. Authors The stratigraphy of the median Juressic era deposits of south-sastern Title Caucasus Dok. AN SSSR 100/5, 965-968, Feb 11, 1955 Periodical Geological-stratigraphic data are presented regarding the central Jurassic era deposits found in the south-eastern sections of the Abstract Caucasus. Nine Russian and USSR references (1873-1953). Institution : Academy of Sciences Azerb. SSR, The I. M. Gubkin Institute of Geology Fresented by : Academician N. M. Strakhov, Nevember 11, 1954

"APPROVED FOR RELEASE: 06/13/2000

CIA-RDP86-00513R000721020017-1

ALIYEV, V.S.; AL'TMAN, N.B.; KASIMOVA, N.P.

Some consistencies of burning coke deposited on finely dispersed aluminosilicate catalyst in a circulating pseudo-liquefied layer.

Aserb.neft.khow.35 no.11:30-33 N '56.

(Aluminosilicates) (Goke)

BASIMOVA, N.P.

ALIYEV, V.S.; AL'TMAN, N.B.; KASINOVA, N.P.

Some regularities in the combustion of coke in the "boiling" bed in a continuous installation. Azerb. neft. khoz. 36 no.6:30-33

Je '57. (Coke)

AUTHORS:

SOV/65-58-9-9/14 Aliyev, V. S; Kasimova, N. P. and Al'tman, N. B.

TITIE:

The Effect of Water Vapour on High Temperature Cracking

of Gas-Oil. (Vliyaniye vodyanogo para na vysoko-

temperaturnyy kreking gazoylya).

PERIODICAL:

Khimiya i Tekhnologiya Topliv i Masel, 1958, Nr. 8.

pp. 44 - 49. (USSR).

ABSTRACT:

The introduction of water vapour or other inert diluents (CO₂) into the reaction zone influences to a certain extent a number of contact processes. Experiments on the effect of the introduction of water vapour during high temperature cracking of petroleum crudes were carried out in a laboratory apparatus. The 200 - 350°C fraction of Surakhany petroleum was used as raw material. It was supplied into the reactor by an automatic device by a specially constructed pump, and was heated before entering the reactor to a temperature of 400°C. The reaction products were led off into a reflux condenser from which samples were taken off for analysis. The liquid products were analysed for sulphonated hydrocarbons; their iodine number and their specific weight was determined. High temperature cracking was carried out at temperatures of

Card 1/3

SOV/65-58-8-9/14

The Effects of Water Vapour on High Temperature Cracking of Gas-Oil

680°, 700°, 730°, 760°, and 790°°C when the rate of the supply of raw material was 0.05, 0.11, 0.20 and 0.27 (g raw material/g contact/hour). Results of these tests, without water vapour and with 50% vapour, at various rates of supply of raw material, are given in Table 1. It can be seen that on increasing the temperature the degree of decomposition of the raw material increases, and is independent from the vapour supply. The presence of water vapour leads to decreased coke formation and to an increase in the yield of the gas, also to an increased yield of hydrogen and ethylene, but to a decreased yield of methane. The properties of the reaction products obtained in the presence and absence of water vapour are compared in Table 2. The inert diluents also lead to a decrease in the partial pressure of the components of the system and cause greater decomposition. They inhibit secondary reactions of aromatisation and formation of light hydrocarbons (H2, CH4) in the composition of the gas (Table 4). It was also established that water vapour does not act only as a diluent, but also as chemical agent entering into a reaction with coke: C+H₀O → CO+H₂

Card 2/3

SOV/65-58-9-9/14
The Effects of Water Vapour on High Temperature Cracking of Gas-Oil

Free hydrogen, separated during the interaction of water vapour with coke, inhibits the dehydrogenation reaction and leads to the formation of aromatic hydrocarbons. The effect of water vapour on the pyrolysis was investigated at a temperature of 730°C, and when supplying 25, 50 and 75% of water vapour into the reaction zone. These experiments showed that the gas yield was increased and the coke formation decreased when the quantity of vapour was increased from 25 to 75% (Table 3). There are 4 Tables.

- 1. Petroleum--Fractionation 2. Petroleum--Temperature factors
- 3. Water vapor -- Chemical reactions 4. Petroleum -- Testing equipment

Card 3/3

ALIYEV, V.S.; AL'TMAN, N.B.; KASIMOVA, N.P.

Role of fluidized heat-carrying agents in thermal or catalytic decomposition of feed stock. Shor. trud. AzNII NP no.2:77-85 (MIRA 12:6)

(Hexodecane) (Gracking process)

s/081/62/000/001/048/067 B158/B101

AUTHORS:

. Aliyev, V. S., Kasimova, N. P., Al'tman, N. B.

TITLE:

Production of unsaturated and aromatic hydrocarbons by

thermal contact pyrolysis of crude petroleum

PERIODICAL:

Referativnyy zhurnal. Khimiya, No. 1, 1962, 441, abstract 1M96 (Tr. Vses. soveshchaniya po khim. pererabotke neft.

uglevodorodov v poluprodukty dlya sinteza volokon i plast.

mass. Baku, AN AzerbSSR, 1960, 267-269)

TEXT: Optimum conditions are established for pyrolysis of a heavy distillation fraction in order to attain a high yield of ethylene and

aromatic hydrocarbons; these are: temperature 700°C, crude feed rate 0.05 by weight at a water vapor content in the system of 50-75% on crude. Under these conditions, the ethylene content in the gas is 28-29% by weight of crude, the light oil yield is 5% by weight of crude, including weight of crude, the light oil yield is 5% by weight of crude, including a benzine fraction of 2.2-2.4%, 'toluene 1.1%, and xylene 0.35%. With increase in the crude feeding rate to 0.1, the ethylene content will be

Card 1/2

Production of unsaturated ...

S/081/62/000/001/048/067 B158/B101

23%, the light oil yield 9.5%, including 3.5% benzine fraction, 1.5% toluene, and 1.0% xylene. All other things being equal, reduction in the steam feed causes a drop in the ethylene yield and a certain increase in the aromatics yield. Abstracter's note: Complete translation.

Card 2/2

"APPROVED FOR RELEASE: 06/13/2000

CIA-RDP86-00513R000721020017-1

ALIYEV, V.S.; AZIMOVA, D.A.; KASIMOVA, N.P.; KYAZIMOV, Sh.K.

Obtaining low-molecular organic acids by direct exidation of propylene in the fluidized bed of vanadium-molybdenum catalyst. Azerb. neft. khoz. 41 no.12:33-35 D *62. (MIRA 16:7)

(Acids, Organic) (Propens) (Oxidation)

STRIKOVSKAYA, T.V.; FASIMOVA, O.I.


Hethods of determining spontaneous combustion temperatures of liquids and gases. Trudy MakNII 15:375-385 163.

SHEA 17:31)

KASITOYA, TABTYA MAMED MEKHTI KIZY-

Kasimova, Fabiya Mamed Mekhti Kizy -- "Anthropological Investigation of Skulls from Mingechaur (In Connection with the Study of the Ethnogenesis of the Azerbaydzhan Nation.) "Inst of Anthropology, Moscow State U imeni M. V. Lomonosov. Moscow-Leningrad, 1956. (Dissertation for the Degree of Candidate in Biological Science)

So: Knizhnaya Letopis', No 12, 1956



THE REPORT OF THE PROPERTY OF THE PARTY OF THE PROPERTY OF THE PARTY O

DZHAVADOV, M. A.; ISMAILOV, A.P.; KASIMOVA, S.S.

Spaces over algebras of alternions. Dokl. AN Azerb. SSR 11 no.1: 3-8 '55. (MLRA 8:10)

1. Azerbaydzhanskiy gosudarstvennyy universitet im. S.M.Kirova. Predstavleno deystvitel'nym chlenom Akademii nauk Azerbaydzhanskoy SSR I.G.Yes'manom (Geometry, Differential--Projective)

KASIMOVA, Sh.S.; AKHMEDOV, A.A.

A case of self-similar gas flow in a long pipeline. Izv. vys. ucheb. zav.; neft' i gaz 3 no.4:113-117 '60. (MIRA 15:6)

1. Azerbaydzhanskiy institut nefti i khimii imeni M. Azizbekova. (Gas flow)

KASIMOVA, Mofiya Sharipovna

Opredeleniye vozrasta dokumenta (iz praktiki kriminalisticheskikh issledovaniy) Moskva, Gosyurizdat, 1958.
78(1) p. illus. diagrs.
At head of title: Ministerstvo Vnutrennykh Del SSSR and M Nauchno-Issledovatel'skly Institut Militsii.
Bibliography: p. 77-79-

